試験施設の空き状況

	年															20	24														
	月																4													_	
	B	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
	曜日	月	火	水	木	金	±	Ħ	月	火	水	木	±	±	Ħ	月	火	水	木	±	±	Ħ	月	火	水	木	±	±	Ħ	月	火
	多目的大型実験棟(Large Chamber)	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
2490	輸送振動試験室	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
機能	地震波再現試験室	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
別	破壊試験室1(釘刺し・圧壊試験室)	×	×	×	×	×	-	-	×	×	×	×	×	-	ı	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
実	破壞試験室2 (落下試験室)	×	×	×	×	×	-	-	×	×	×	×	×	-	ı	×	×	×	×	×	-	-	×	×	×	×	×	-	-	1	×
験	環境試験室1 (恒温恒湿室)	×	×	×	×	×	-	-	×	×	×	×	×	-	1	×	×	×	×	×	-	-	×	×	×	×	×	-	-	1	×
棟	環境試験室2(恒温室)	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
14.	多目的試験室	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×
		0:	予約	可	×:	予約	済																								

	年																2024															
	月																5															
	В	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	曜日	水	木	±	±	B	月	火	水	木	*	±	П	貝	火	*	木	•	Ħ	B	月	火	*	木	•	H	ш	月	火	水	木	金
	多目的大型実験棟(Large Chamber)	-	×	-	-	-	ı	×	×	×	×	-	-	×	×	×	×	×	-	ı	×	×	0	0	0	-	-	0	×	×	×	×
2490	輸送振動試験室	-	×	-	-	-	ŀ	×	×	×	×	-	-	×	×	×	0	×	-	ı	×	×	0	0	0	-	-	0	0	0	0	0
機	地震波再現試験室	-	×	-	-	-	ŀ	×	×	×	×	-	-	×	×	×	0	×	-	ı	×	×	0	0	0	-	-	0	0	0	0	0
能別	破壊試験室1(釘刺し・圧壊試験室)	-	×	-	-	-	-	×	×	×	×	-	-	×	×	×	0	×	-	-	×	×	0	0	0	-	-	0	×	×	×	×
寅	破壊試験室2 (落下試験室)	-	×	-	-	-	-	×	×	×	×	-	-	×	×	×	0	×	-	-	×	×	0	0	0	-	-	0	0	0	0	0
験	環境試験室1 (恒温恒湿室)	-	×	-	-	-	ŀ	×	×	×	×	-	-	×	×	×	0	×	-	ļ	×	×	0	0	0	-	-	0	0	0	0	0
梅	環境試験室2 (恒温室)	-	×	-	-	-	ŀ	×	×	×	×	-	-	×	×	×	0	×	-	ı	×	×	0	0	0	-	-	0	0	0	0	0
IA.	多目的試験室	-	×	-	-	-	ŀ	×	×	×	×	-	-	×	×	×	0	×	-	ı	×	×	0	0	0	-	-	0	0	0	0	0
		0:	予約	可	×:	予約	済																									

	年															20	24														
	月																;														
	B	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
	曜日	±	B	月	火	水	木	ŵ	Ħ	ш	Я	火	*	*	±	±	П	月	火	*	*	ŧ	Ħ	B	貝	¥	*	*	4	Ħ	B
	多目的大型実験棟(Large Chamber)	-	-	×	×	×	×	×	1	-	×	×	×	×	×	-	ı	×	×	×	×	×	1	-	×	×	×	×	×	-	-
2490	輸送振動試験室	-	-	0	0	0	0	0	ı	-	0	0	0	0	0	-	ı	0	0	0	0	0	ı	-	×	×	×	×	×	-	-
機	地震波再現試験室	-	-	0	0	0	0	0	ı	-	0	0	0	0	0	-	ı	0	0	0	0	0	ı	-	×	×	×	×	×	-	-
能別	破壊試験室1(釘刺し・圧壊試験室)	-	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	×	×	×	×	×	-	-
男	破壊試験室2 (落下試験室)	-	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-
験	環境試験室1 (恒温恒湿室)	-	-	×	×	×	×	×	1	-	×	×	×	×	×	-	ı	×	×	×	×	×	ı	-	×	×	×	×	×	-	-
棟	環境試験室2 (恒温室)	-	-	0	0	0	0	0	ı	-	0	0	0	0	0	-	ı	0	0	0	0	0	ı	-	×	×	×	×	×	-	-
144	多目的試験室	-	-	0	0	0	0	0	ı	-	0	0	0	0	0	-	ı	0	0	0	0	0	ı	-	×	×	×	×	×	-	-
		0:	予約	可	×:	予約	済																								

_																																
	年																2024															
	月																7															
	B	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	曜日	月	火	*	木	*	±	B	月	火	水	木	±	Ŧ	B	Я	火	水	木	金	±	Ħ	月	火	水	木	±	Ħ	B	月	火	*
	多目的大型実験棟(Large Chamber)	×	×	×	×	×	-	-	×	×	×	×	×	ı	-	ı	×	×	×	×	ı	1	×	×	×	×	×	-	-	0	×	×
2490	輸送振動試験室	0	0	0	0	0	-	-	0	0	0	0	0	ı	-	ı	0	0	0	0	ı	ı	0	0	0	0	0	-	-	0	0	0
機	地震波再現試験室	0	0	0	0	0	-	-	0	0	0	0	0	ı	-	ı	0	×	×	0	ı	ı	0	0	0	0	0	-	-	0	0	0
能別	破壊試験室1(釘刺し・圧壊試験室)	0	0	0	0	0	-	-	0	0	0	0	0	ı	-	ı	0	0	0	0	١	ı	0	0	0	0	0	-	-	0	0	0
実	破壞試験室2 (落下試験室)	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0
験	環境試験室1 (恒温恒湿室)	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0
棟	環境試験室2 (恒温室)	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0
	多目的試験室	0	0	0	0	0	ı	ı	0	0	0	0	0		-	-	0	0	0	0	ı	-	0	0	0	0	0	ı	ı	0	0	0
		0:	予約	可	×:	予約	済																									

	年																2024															
	月																8															
	B	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	曜日	木	±	±	Ħ	Я	火	*	木	*	Ŧ	П	月	火	*	木	\$	±	П	ш	冷	*	¥	±	±	Ħ	月	火	¥	*	±	±
	多目的大型実験棟(Large Chamber)	×	×	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	×	×	×	×	×	-
	輸送振動試験室	0	0	-	-	0	0	0	0	0	ı	1	-	0	0	0	0	-	1	0	0	0	0	0	-	-	0	0	0	0	0	-
機	地震波再現試験室	0	0	-	-	0	0	0	0	0	ı	ı	-	0	0	0	0	-	ı	0	0	0	0	0	-	-	0	0	0	0	0	-
能別	破壊試験室1(釘刺し・圧壊試験室)	0	0	-	-	0	0	0	0	0	ı	1	-	0	0	0	0	-	1	0	0	0	0	0	-	-	0	0	0	0	0	-
火	破壊試験室2 (落下試験室)	0	0	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	×	×	×	×	×	-
験	環境試験室1 (恒温恒湿室)	0	0	-	-	0	0	0	0	0	ı	1	-	0	0	0	0	-	1	0	0	0	0	0	-	-	0	0	0	0	0	-
梅	環境試験室2 (恒温室)	0	0	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0	0	0	-
,,,,	多目的試験室	0	0	ı	-	0	0	0	0	0	1	ı	-	0	0	0	0	ı	-	0	0	0	0	0	-	ı	0	0	0	0	0	-
	•	0:	予約	可	×:	予約	済																									

	年															20	24														
	月															-	9														
	В	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
	曜日	Ħ	月	火	*	木	±	±	Ħ	月	火	*	木	±	±	Ħ	月	火	水	木	±	±	B	月	火	*	木	±	±	Ħ	月
	多目的大型実験棟(Large Chamber)	-	×	×	×	×	×	-	-	×	×	×	×	×	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
機	輸送振動試験室	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
能	地震波再現試験室	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	×
別	破壊試験室1(釘刺し・圧壊試験室)	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
実	破壞試験室2 (落下試験室)	-	0	0	0	0	0	1	ı	0	0	0	0	0	1	-	-	×	×	×	×	1	1	-	×	×	×	×	-	1	0
験	環境試験室1 (恒温恒湿室)	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
被	環境試験室2 (恒温室)	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
馃	多目的試験室	-	0	0	0	0	0	-	-	0	0	0	0	0	-	-	-	×	×	×	×	-	-	-	×	×	×	×	-	-	0
		0:	予終	可	×:	予終	済																								

_																															_	_
	年																2024															
	月																10															
	B	1	2	3	4	5	8	7	8		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	曜日	火	水	木	±	±	B	月	火	*	木	*	±	H	月	火	水	木	±	±	H	月	火	水	木	±	±	H	月	火	*	木
	多目的大型実験棟(Large Chamber)	0	0	0	0	-	-	×	×	×	×	×	-	-	-	×	×	×	×	-	-	×	×	×	×	×	-	-	×	×	×	×
機	輸送振動試験室	0	0	0	0	-	ŀ	0	0	0	0	0	1	-	1	0	0	0	0	-	1	0	0	0	0	0	-	1	0	0	0	0
能	地震波再現試験室	×	×	×	×	-	-	0	0	0	0	0	1	-	1	0	0	0	0	-	ı	0	0	0	0	0	-	1	0	0	0	0
別	破壊試験室1(釘刺し・圧壊試験室)	0	0	0	0	-	-	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	-	-	0	0	0	0
実	破壞試験室2 (落下試験室)	0	0	0	0	-	ŀ	0	0	0	0	0	1	-	1	0	0	0	0	-	1	0	0	0	0	0	-	1	0	0	0	0
験	環境試験室1 (恒温恒湿室)	0	0	0	0	-	ŀ	0	0	0	0	0	1	-	1	0	0	0	0	-	1	0	0	0	0	0	-	1	0	0	0	0
棟	環境試験室2 (恒温室)	0	0	0	0	-	ŀ	0	0	0	0	0	1	-	1	0	0	0	0	-	ı	0	0	0	0	0	-	1	0	0	0	0
134	多目的試験室	0	0	0	0	-	ı	0	0	0	0	0	-	-	-	0	0	0	0	-	-	0	0	0	0	0	ı	-	0	0	0	0
		0:	予約	可	×:	予約	済																									