## Manganese and compounds (as Mn except organic compounds) Mn

[CAS No. 7439-96-5]

Reproductive toxicant: Group 2

There have been no well-designed epidemiological studies clearly showing reproductive toxicity of manganese, although intoxicated patients reportedly suffer from impotence or decreased libido<sup>1,2)</sup>. The available studies show conflicting results with regard to effects of manganese exposure on male fertility<sup>3-6)</sup>. In contrast, animal studies show toxic effects such as reduced fertility, decreased plasma testosterone concentrations<sup>7)</sup>, decreased sperm counts<sup>7,8)</sup> and motility<sup>8)</sup>, increased LH and FSH<sup>9)</sup>, and reduced survival rate of offspring of dams treated with manganese chloride<sup>10)</sup>. Based on this evidence, manganese is classified as a Group 2 reproductive toxicant.

## References

- 1) Emara AM, El-Ghawabi SH, Madkour OI, El-Samra, GH. Chronic manganese poisoning in the dry battery industry. Brit J Ind Med 1971; 28: 78–82.
- Yamada M, Ohno S, Okayasu I, et al. Chronic Manganese Poisoning: A neuropathological study with determination of manganese distribution in the brain. Acta Neuropathol (Berl) 1986; 70: 273–8.
- 3) Lauwerys R, Roels H, Genet P, Toussaint G,

- Bouckaert A, Cooman SD. Fertility of male workers exposed to mercury vapor or to managese dust: a questionnaire study. Am J Ind Med 1985; 7: 171–6.
- 4) Gennart JP, Buchet JP, Roels H, et al. Fertility of male workers exposed to cadmium, lead, or manganese. Am J Epidemiol 1992; 135: 1208–19.
- Ellingsen DG, Haug E, Gaarder PI, Bast-Pettersen R, Thomassen Y. Endocrine and immunologic markers in manganese alloy production workers. Scand J Work Environ Health 2003; 29: 230–8.
- 6) Wirth JJ, Rossano MG, Daly DC, et al. Ambient manganese exposure is negatively associated with human sperm motility and concentration. Epidemiology 2007; 18: 270-3.
- 7) Laskey JW, Rehnberg GL, and Hein JF. Effects of chronic manganese (Mn3O4) exposure on selected reproductive parameters in rats. J Toxicol Environ Health 1982; 9: 677–7.
- 8) Ponnapakkam TP, Bailey KS, Graves KA, et al. Assessment of male reproductive system in the CD-1 mice following oral manganese exposure. Reprod Toxicol 2003; 17: 547–51.
- Lee B, Pine M, Johnson L, Rettori V, Hiney JK, Dees WL. Manganese acts centrally to activate reproductive hormone secretion and pubertal development in male rats. Reprod Toxicol 2006; 22: 580–5.
- Torrente M, Colomina MT, Domingo JL. Effects of prenatal exposure to manganese on postnatal development and behavior in mice influence of maternal restraint. Neurotoxicol Teratol 2002; 24: 219–5.